



EC – Certificate of Conformity

0615 – CPD – M462

In compliance with the Directive 89/106/EEC of the Council of European Communities of 21 December 1988 on the approximation of laws, regulations and administrative provisions of the Member States relating to the construction products (Construction Products Directive – CPD), amended by the Directive 93/68/EEC of the Council of European Communities of 22 July 1993, it has been stated that the construction product

UNIROL-PROFI

Reaction to fire
Euroclass A1

Thermal conductivity
 λ_D 0,033 W/(m·K)

Thickness range
30-180 mm

Product description: Thermal insulation of glasswool in different dimensions

Scope of application: Insulation of pitched roof

Designation code: MW - EN13162 - T1 - MU1

Manufacturer:
or its authorised representative
marketing the product

Saint-Gobain Isover Polska sp. z.o.o PLANT G
ul.Okrezna 16
44-100 Gliwice
Poland

Productions site(s):

is submitted by the manufacturer to a factory production control and to the further testing of samples taken at the factory in accordance with a prescribed test plan and that BVQI Denmark A/S has performed the initial type-testing for the relevant characteristics of the product, the initial inspection of the factory and of the factory production control and performs the continuous surveillance, assessment and approval of the factory production control

This certificate attests that all provisions concerning the attestation of conformity and the performances described in Annex ZA of the standard **EN13162** were applied and that the product fulfils all the prescribed requirements.

This certificate was first issued on 02-09-2005 and remains valid as long as the conditions laid down in the harmonised technical specification in reference or the manufacturing conditions in the factory or the FPC itself are not modified significantly.

The validation of the certificate must be confirmed once a year.

Issued: 02/09/2005

Certificate no.: M462



DANAK

Reg.nr. 7014

BVQI Denmark A/S,
Verifier